


WATER SUPPLY STOPS

1/4 TURN BALL STOP - BRASS

Use:	Supply stop for potable water distribution systems.
Sizes:	See catalog for specific configurations.
Operating Pressure:	125 psi maximum
Operating Temperature:	40 - 180°F
Material Specifications:	<p>Body and brass components - C36000 brass</p> <p>Stem – Plated C36000 brass</p> <p>Seats - Pure PTFE (same Material Composition as Teflon®*)</p> <p>Ball - Precision Machined C36000 Brass</p> <p>O-Ring - Viton</p> <p>O-Ring - Nitrile</p> <p>Handle - Zinc Die Cast</p> <p>Handle Screw - Zinc Plated Steel</p>
 Compliant Product Material Verified for Low Lead and Plumbing Products Covers California and Vermont requirements	<p>Body - C69300 brass</p> <p>Stem – C69300 brass</p> <p>Ball – C69300 brass</p>
Designed and Manufactured In Accordance With:	<p>By IAPMO to ASME A112.18.1</p> <p>By CSA to CSA-B125</p> <p>By UL to NSF 61 Section 9</p>
Approvals/Listings:	<p>IAPMO File #0645</p> <p>CSA Approved – File #0204593</p> <p>CSA Approved to AB1953 – Project #2174785</p> <p>UL Approved to NSF61- File #MH25826</p> <p>State of Massachusetts</p>

*Teflon is a registered trademark of E.I. dePont de Nemours and Company

This technical product data sheet and all information contained herein is the confidential and exclusive property of BrassCraft Manufacturing, and shall not be disclosed to others without the written consent of BrassCraft. This technical product data sheet must be returned to BrassCraft if requested.

Tech. Product Data Sheet Number	© 2006 BrassCraft Mfg.	Revision Level
800.01	Page 1 of 1	(C)